

**VISVESVARAYA TECHNOLOGICAL UNIVERSITY,
BELAGAVI 590018**



A project report on

**“DESIGN AND FABRICATION OF EQUIPMENT FOR UPANAHA
KALPANA TREATMENT”**

Submitted in partial fulfilment of the requirements for the degree of
BACHELOR OF ENGINEERING

IN

MECHANICAL ENGINEERING

D JAYKUMAR

4AL19ME007

PRAJWAL R

4AL19ME019

RAKESH S

4AL19ME024

VENKATASHIVAREDDY

4AL19ME031

Under the Guidance of

Prof. KIRAN C H

**Assistant Professor,
Dept. of MECHANICAL ENGINEERING**



ALVA'S
Education Foundation®

Department of Mechanical Engineering

**ALVAS INSTITUTE OF ENGINEERING AND TECHNOLOGY
MOODBIDRI-574225, KARNATAKA**

2022 – 2023

ALVA'S INSTITUTE OF ENGINEERING AND TECHNOLOGY

Mijar, Moodbidri D.K. -574225 – Karnataka



ALVA'S
Education Foundation™

DEPARTMENT OF MECHANICAL ENGINEERING

CERTIFICATE

Certified that the project work entitled “Design and fabrication of equipment for Upanaha Kalpana treatment”

is a bona-fide work carried out by

D JAYKUMAR

4AL19ME007

PRAJWAL R

4AL19ME019

RAKESH S

4AL19ME024

VENKATASHIVAREDDY

4AL19ME031

Are bona-fide student of Mechanical engineering Alva's Institute of Engineering and Technology in partial fulfilment for the award of **BACHELOR OF ENGINEERING** in

MECHANICAL ENGINEERING OF VISVESVARAYA TECHNOLOGICAL UNIVERSITY, BELAGAVI, during the year 2022–2023. It is certified that all corrections/suggestions indicated for Internal Assessment have been incorporated in the report deposited in the departmental library. The project report has been approved as it satisfies the academic requirements in respect of Project work prescribed for the Bachelor of Engineering Degree.

Prof. Kiran C H

Project Guide

Dr. Satyanarayan W. D.

Dept. Of Mechanical Engineering
Head of the Department
Alva's Institute of Engg. & Technology
Mijar, MOODBIDRI - 574 225

External Viva

Dr. Peter Fernandes
PRINCIPAL

Alva's Institute of Engg. & Technology
Mijar, MOODBIDRI - 574 225, D.K

Name of the Examiner

Signature with Date

- 1) Dr. G. B. Vaggar
- 2) Dr. Neelakantha, V.L

23/05/23
23/05/23