

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ತೆಂಕಮಿಜಾರು

ನೀರ್ಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಎಂದ,
ಅಧ್ಯಕ್ಷರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ರಿಗೆ.

ಸಂಖ್ಯೆ:

Date:

T.MG.P.L.H -139/2007-08

DATE :12-02-2008



OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 227/2P, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.08/05-06 dtd 30.06.2005. The building is fit for which it has been constructed and is ready for occupation.

DATE :12/02/2008

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

TENKAMIJAR GRAMA PANCHAYATH

PRINCIPAL
Alva's Institute of Engg. & Technology,
Mijar, MOODSIBRI - 574 223, D.K

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED
COPY

AIET
M_{1(A)}

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 8/2005-06
TENKAMIJAR GRAMA PANCHAYATH

DATE: 30/06/2005

To, ALVA'S EDUCATION FOUNDATION, MOOBBIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **20/05/2005**

Details of the Sanctioned Building Constructions
In S. No. 227-2P₁ 1.00.00.00 Acre

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

Attested, Development Officer
TENKAMIJAR GRAMA PANCHAYATH


PRINCIPAL

Alva's Institute of Engg. & Technology,
Mijar. MOOBBIDRI - 574 225, D.K

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕರಾರುಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ವಿಲ್ಡ್ ಸ್ಟಾಪ್
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿರುವ ಹತ್ತು ಅಡಿ ಅಗಲದ ಬಾವುಟ ಬಾವುಟ
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಆಗಲಿ ಕನಿಷ್ಠಾಪರಿಮಿತಿಯ ಅಗಲದ ಬಾವುಟ ಕಟ್ಟಡದ ಬಾವುಟದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಬಾವುಟದ ಅಗಲದ ಬಾವುಟ ಕಟ್ಟಡದ ಮೇಲೆ ಬಾವುಟ ಬಾವುಟ ಬಾವುಟ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲಿ ಬಾವುಟದ ಅಗಲದ ಬಾವುಟ ಬಾವುಟ ಬಾವುಟ ಇರುವಂತೆ ನಿರ್ಮಿಸತಕ್ಕದ್ದು. ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಬಾವುಟದ್ದು.
- 2 ಜನರ ವಾಸವಾಗಿ ಬಾವುಟವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡವು
 - ಅ) ಸೆಲದ ಮುಖದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದಂತೆ ಬಾವುಟದ ಎತ್ತರವನ್ನು ಹೊಂದಿಸುವಂತೆಯಾಗಿ
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೋಣೆಯೂ ಕೋಣೆಯ ಮೇಲೆ ಬಾವುಟದತ್ತ ಮುಖವಾಗಿರುತ್ತದೆ ಮತ್ತು ಮತ್ತೆ ಸೆಲದ ಬಂದು ಭಾಗಕ್ಕೆ ಸಮಾನದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿಯಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣವನ್ನು ಕಟ್ಟಡವು ಕಟ್ಟಿಕೊಳ್ಳುವಂತೆಯಾಗಿ ಅಥವಾ ಬಾವುಟಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯಾಗಿ
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಟ್ಟಡವು ಅಗಲದ ಬಾವುಟದ ಮೇಲೆ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆ ನಿರ್ಮಿಸತಕ್ಕದ್ದು. ಸದರಿ ಬಾವುಟ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರೀಕ್ಷಿಸುವುದಾದ (ಬಚ್ಚಲು ನೀರು ಪಕ್ಕರೆ) ಹೊಲಸು ನೀರು ರಸ್ತೆ ಮೇಲೆ ಹರಿದು ಬರುವಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗುಪ್ತ ಇಲ್ಲದಂತೆ ಬಾವುಟವನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇವುಗಳಿಗೆ ರಜಿಸಲು / ಪುನಃ ಕಟ್ಟಿ ಪರಿವಾನಿಗೆ ಬಂದು ವರ್ಷದ ಒಳಗೆ 30/6/2005 ರಿಂದ ತಾಳಿಸಿ 31/7/2005 ರ ವರೆಗೆ ಮಾತ್ರ ಇರತಕ್ಕದ್ದು. ಈ ಅಂಥ ಬಾವುಟವು ಪರಿವಾನಿಗೆಗೆ ಇವುಗಳಿಗೆ ರಜಿಸುವ/ಪುನಃ ರಜಿಸುವ ಕೆಲಸ ಮುಗಿಯದಿದ್ದಲ್ಲಿ ಪರಿವಾನಿಗೆಯ ಮೇಲೆ ದೃಷ್ಟಿ ಪಡೆಯಬೇಕಾದ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಡಕ್ಕೆ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ನಮ್ಮ ಕಾರ್ಯಕ್ಕೆ ಅಡ್ಡಿಯಾಗುವಂತೆ ಅಳತೆಯಾಗುವುದು ಮತ್ತು ಅಂತಹ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದದ್ದಕ್ಕೆ ಭಾವಿಲಪತ್ರವಾಗುವುದು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರದಂತೆ ರಜಿಸಿ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ಸೆರ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ಸುಮಾರು 25 ಅಡಿಗಳಿಗಿಂತ ಕಟ್ಟಡದ ಮೇಲೆ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾನುಲು ವಾಹಿ, ನೀರು, ತೋಪು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ಅಡ್ಡಿಯಾಗುವಂತೆ ಅಗಲದ್ದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಪಡೆದಿರತಕ್ಕದ್ದು. (ಕಟ್ಟಡ ಹೊಂದಿಸುವಲ್ಲಿ)
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ರದ್ದುಗೊಳಿಸುವುದು. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಕುಂದುಕೊರತೆ ಕ್ರಮ ಜಾರಿಗೊಳಿಸತಕ್ಕದ್ದು.

ಅರ್ಜಿದಾರರು: ಶುಭಲಕ್ಷ್ಮಿ ರಜಿಸಿ ನಂ. 129805 ರಿಂದ 30/6/2005 ರಂದು ಪಾವತಿಯಾಗಿದೆ.

Ushu Red

11/1/2005
 ಕಾರ್ಯದರ್ಶಿ
 ಗ್ರಾಮಪಂಚಾಯತು

attested
(Signature)
 ಅಧ್ಯಕ್ಷ ಅಧಿಕಾರಿ
 ಗ್ರಾಮ ಪಂಚಾಯತು

PRINCIPAL
 Alva's Institute of Engg. & Technology
 Mijar, MOODBIDRI - 574 225, D.K

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from 30-6-2005 to 31-7-2005. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained. **(FOR NEW CONSTRUCTION OF NEW BUILDING ONLY)**
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number 129805 dated 30-6-2005

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

Attested, Development Officer
TENKAMIJAR GRAMA PANCHAYATH



PRINCIPAL

Alva's Institute of Engg. & Technology,
Mijar. MOODBIURI - 574 225, D.K

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ತೆಂಕಮಿಜಾರು

ನೀರ್ಕೆರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಯೆ,
ಧ್ಯಕ್ಷರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್


ರಿಗೆ,

ಹೆಸರು

Date:

T.MG.P.L.H -139/2010-11

DATE :12-12-2010



OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 227/2P, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.53/2008-09 dtd 27.01.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :12/12/2010

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ

TENKAMIJAR GRAMA PANCHAYATH

ತೆಂಕಮಿಜಾರು

PRINCIPAL

Aiva's Institute of Engg. & Technology,
Mijar. MOODBIDRI - 574 225, D.K

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ತೆಂಕಮಿಜಾರು

ನೀಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:09253-262150 email:tenkamijarpan@yahoo.in

ದ.
ಸ್ವಕರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ರಿಗೆ.

ef:

Date:

T.MG.P.L.H -143/2012-13

DATE :05-12-2012



OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 227/2P, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.54/2011-12 dtd 04.11.2011. The building is fit for which it has been constructed and is ready for occupation.

DATE :05.12.2012

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

TENKAMIJAR GRAMA PANCHAYATH


PRINCIPAL

Alva's Institute of Engg. & Technology
Mijar, MOODBIDRI - 574 225, D.K

ದ.ಕ ಜಿಲ್ಲಾ ಕಾರ್ಕಳ ತಾಲೂಕು

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ಕಟ್ಟಡಗಳ ರಚನೆ ಹಾಗೂ ಪುನಃ ರಚನೆಯ ಪರವಾನಿಗೆ ಬಗ್ಗೆ ಪರವಾನಿಗೆ

ಪರವಾನಿಗೆ ಉ. ನಂ. 531/2008-09.

ತೆಂಕಮಿಜಾರು

ಸಂಬಂಧ

ಗ್ರಾಮ ಪಂಚಾಯತ್

27-1-2009

1998

ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ.

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಪರವಾನಿಗೆ ಕೊಟ್ಟ ಬಗ್ಗೆ ನಮ್ಮ ಅರ್ಜಿ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ವಾರ್ಡ್ ನಂ. ಮನೆ ನಂ. ನೇ ಜಾಗದಲ್ಲಿ

ಕಟ್ಟಡ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಕರ್ನಾಟಕ ಜಿಲ್ಲಾ ಪರಿಷತ್ತು, ಪಂಚಾಯತ ಸಮಿತಿ, ಮಂಡಲ ಪಂಚಾಯತಿಗಳು ಹಾಗೂ ನ್ಯಾಯ ಪಂಚಾಯತುಗಳ ಕಾಯಿದೆ ೧೯೮೨ರ ಪ್ರಕಾರ ಕಟ್ಟಡಗಳ ರಚನೆ ನಿಯಂತ್ರಿಸುವ ನಿಯಮಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಇದರಲ್ಲಿ ಕಾನೂನುಬಾಹಿರ ರಚನೆಯ ವಿವರದ ಮೇರೆಗೆ ಹಾಗೂ ಇದರ ಹಿಂಭಾಗದಲ್ಲಿ ಕಾನೂನುಬಾಹಿರವಾಗಿ ಕಟ್ಟಡಗಳನ್ನು ಈ ಪರವಾನಿಗೆಯನ್ನು ಕೊಡಲಾಗಿದೆ. ಶರ್ತಗಳನ್ನು ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಲೈಸೆನ್ಸ್‌ನ್ನು ರದ್ದು ಪಡಿಸಲಾಗುವುದು. ಹಾಗೂ ಲೈಸೆನ್ಸ್ ಫೀಸಿನ ಇಮ್ಮಡಿಯನ್ನು ಮತ್ತು ತಗಲಿದ ವಿರ್ಚನ್ನು ವಸೂಲು ಮಾಡಲಾಗುವುದು.

ತಾ. 20-12-2008. ಜಿಲ್ಲಾ ಉಸ್ತುವಾರಿ

ಈ ಪರವಾನಿಗೆ ಸಂಗಡ ನೀವು ಹಾಕಿದ ಮಾರ್ಕಿಂಗ್ ಹಾಗೂ ಇತರ ದಾಖಲೆಯನ್ನು ಪರಿಶೀಲಿಸಿ ತಿಳಿಯುವುದು.

27/1/09. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ.

ಮುಂದೂಡಿದ ಕಟ್ಟಡಗಳ ರಚನೆಯ ವಿವರ

ತೆಂಕಮಿಜಾರು ನಂ. 531/4 ಅಶ್ವತ್ಥ. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ.

ಉದ್ದ	ಅಗಲ	ಎತ್ತರ	ತಳಪಾಯ	ಅಂತಸ್ತು	ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯಿಂದ ಅಂತರ	ಆರೋಗ್ಯ ದೃಷ್ಟಿಯಿಂದ ಬಹುಕಡು ಬೆಲೆ ಜಾಗದ ಅಳತೆಯ ವಿವರ
						ಕಾನೂನುಬಾಹಿರವಾಗಿ ರಚಿಸಲಾಗಿದೆ.

ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ. ಶ್ರೀ. ಕೆ. ಎಂ. ಮೊದನ ಅಶ್ವತ್ಥ.

Extension Building of Alwar's Institute of Engineering and Technology.

ಕಾರ್ಯದರ್ಶಿ
ಕಾರ್ಯದರ್ಶಿ
ಗ್ರಾಮಪಂಚಾಯತು
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

PRINCIPAL
Alwar's Institute of Engg. & Technology
Mijar, MOODBIDRI - 574 225, O.K.

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 53/2008-09
TENKAMIJAR GRAMA PANCHAYATH

Number _____
DATE: 27/01/2009

To, Dr. M. Mohan Alva, Chairman, ALVA'S EDUCATION TRUST, MOOBDIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **20/12/2008**
227/2P area

Details of the Sanctioned Building Constructions

TENKAMIJAR Survey No. 215/4 area 2-53 Acre

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

EXTENSION BUILDING OF ALVA'S INSTITUTE OF ENGINEERING AND TECHNOLOGY

SIGNED BY, SECRETARY
GRAMA PANCHAYATH
(SECRETARY -SEAL)

14 RAIN HARVESTING SYSTEM SHALL BEEN INCORPORATED


PRINCIPAL
Alva's Institute of Engg. & Technology,
P.O. Box No. 574 225, D.K.

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕರ್ತವ್ಯಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿರೀಕ್ಷಿಸಿದ ಎಲ್ಲೆಡೆಗೆ
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿಯೂ ಹತ್ತು ಅಡಿ ಅಂತರ ಬಿಡಲು ಬಾಗಬೇಕು.
 - ಬ) ಯಾವ ಕೆಲವು ದಿನಗಳೇ ಆಗಲಿ ಕನಿಷ್ಠವಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಬಳಕೆಯು ಕಟ್ಟಡದ ಒಳಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಒಳಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಡದ ನಡುವೆ ಬಾಲಿ ಬಾಗವೂ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲಿ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂತರಕ್ಕೆ ಬಾಲಿ ಬಾಗವೂ ಇರುವಂತೆ ವಿವರಿಸತಕ್ಕದ್ದು. ಮತ್ತು ಅಪ್ಪಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಬಿಡಬೇಕು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡವು
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದಂತೆ ಮೂಲಭೂತವಾದ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯಾಗಿ.
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ನೆಲದ ಮಟ್ಟದಿಂದ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯಾಗಿ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿನಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣದಷ್ಟು ಕ್ಷೇತ್ರವುಳ್ಳ ಕಿಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯಾಗಿ.
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಡೆಗಳನ್ನು ಅದರ ಜಾಗಿನ ವಿನಹ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಬೆಳಕು ಬೀಳುವಂತೆ ವಿವರಿಸತಕ್ಕದ್ದು. ಸದರಿ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ಪಕ್ಕರೆ, ಹೊಲಸು ನೀರು ರಸ್ತೆಯ ಮೇಲೆ ಹರಿದು ಬರುವಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚಿಸಲು / ಪುನಃ ಕೊಟ್ಟಿ ಪರಿವಾನಿಗೆ ಒಂದು ವರ್ಷ ತಾರೀಖು 27-1-2009 ರಿಂದ ತಾರೀಖು 26-1-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚಿಸುವ / ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯದಿದ್ದಲ್ಲಿ ಪರಿವಾನಿಗೆಯ ಮುಚ್ಚಿತ್ತು ವಹಾಯಿಸಿಕೊಳ್ಳದೆ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಡಕ್ಕೆ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ಮತ್ತು ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಕ್ಕೆ ದಾಮಿಲಪತ್ರವನ್ನು ಕೊಡಬೇಕು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಏರುವಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳದಲ್ಲಿ ಸುರಕ್ಷಿತ ತಳಭಾಗದಿಂದ ಕಟ್ಟಡ ಪೂರ್ಣ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾವೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಪಡೆದಿರತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ಮುಚ್ಚಿತ್ತು. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಚ್ಚುವ ಕ್ರಮ ಜಾರಿಗೊಳಿಸುತ್ತದೆ.

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರಹಿತ ನಮೂನೆ
 816157
 17486/2

27-1-2009
 ಮುಖ್ಯ ಪಾಲಕರಾಗಿದ್ದಾರೆ.

(Signature)
 ಮುಖ್ಯ ಪಾಲಕರು
 ಮುಖ್ಯ ಪಾಲಕರು
 ಮುಖ್ಯ ಪಾಲಕರು

Mulm-
 ಅಧ್ಯಕ್ಷರು
 ಶಂಕರನಿವಾಸ

(Signature)
 PRINCIPAL

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from **27-1-2009** to **26-1-2010**. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number **816157** dated **27-1-2009**
17486/-

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH


TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics, Institute of Engg. & Technol.
Prof. Yogish S. Rao M., Dept. of Mechanical Engg. 574 225, 05

TRANSLATED
COPY

TRANSLATED
COPY

ಕಟ್ಟಡ ರಚನೆ ಪುನರಚನೆ ಪರವಾನಿಗೆ

Engineering
MTC



ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾಯ್ದೆ 1993ರ ಪ್ರಕರಣ 64ರ ಅನ್ವಯ

2011-12

ಪರವಾನಿಗೆ ನಂಬ್ರ : 54/2011-2012

436481

ದಿನಾಂಕ : 04/11/2011

ಮೊತ್ತ : 173,320/-

ಆಜ್ಞಾನಿ ಇಂಜಿನಿಯರಿಂಗ್ ಕಾಲೇಜ್ ಉಜಿರು ತಿಂಕನಿಹಿರು ರವರು

ತಿಂಕನಿಹಿರು ಗ್ರಾಮದ ಸ.ನಂಬ್ರ : ಮನ ನಂಬ್ರ : ರಲ್ಲಿ ಕಟ್ಟಡ ರಚನೆಗೆ : ಪುನರಚನೆಗೆ ಪರವಾನಿಗೆ ಕೋರಿ ಗ್ರಾಮ ಪಂಚಾಯತಿಗೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಿದ್ದು, ಕಟ್ಟಡ ರಚನೆ : ಪುನರಚನೆಗೆ ಅನುಮತಿ ನೀಡಲಾಗಿದೆ.

(ಇಂಜಿನಿಯರಿಂಗ್ ಕಾಲೇಜ್) ಕಟ್ಟಡ ರಚನೆ : ಪುನರಚನೆಯ ವಿವರ (Sq.mt - 17,320)

ಕಟ್ಟಡ ರಚನೆಯ ಉದ್ದ	ಅಗಲ	ಎತ್ತರ	ಪಂಚಾಂಗ ವಿವರ	ಇತರ ವಿವರ	ಷರಾ
೧೦೦೦ ಕ್ಕಿಂತ	೧೦೦೦ ಕ್ಕಿಂತ	೧೦೦೦ ಕ್ಕಿಂತ	—	ಈ ಕೆಳಗೆ ವಿವರ ಕೆಳಬಿಡಿಯಲ್ಲಿರುವ ಶರ್ತಗಳನ್ನು ಪಾಲಿಸತಕ್ಕದ್ದು.	

(Signature)
ಅಧ್ಯಕ್ಷರು / ಪಂಚಾಯತ್ ಪ್ರಧಾನಿ / ಕಾರ್ಯಪರ್ತಿ
ಗ್ರಾಮ ಪಂಚಾಯತ್

ಶರ್ತಗಳು

ಕಟ್ಟಡ ರಚನೆ : ಪುನರಚನೆಯ ಕಾಮಗಾರಿಯನ್ನು ಮಂಜೂರಾದ ನಕ್ಷೆಯಂತೆ ನಿರ್ಮಿಸುವುದು.
 ಪ್ರತಿ ಕೋಣೆಯ ನಕ್ಷತ್ರದ ಕನಿಷ್ಠ 1:10ನೇ ಭಾಗದಲ್ಲಿ ಕಟಕಿಗೆ ಸ್ಥಳಾವಕಾಶ ಒದಗಿಸುವುದು.
 ಕಟ್ಟಡ ರಚನೆಯ ಪ್ರತಿಯೊಂದು ಮೂಲಗಳಲ್ಲಿ ಕನಿಷ್ಠ 4 ಅಡಿ ಅಂತರದ ಖಾಲಿ ಸ್ಥಳ ಇಡತಕ್ಕದ್ದು.
 ಕಟ್ಟಡ ರಚನೆಯಾದ ಸೂಕ್ತ ಬೆರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಉಪಯೋಗಿಸಿದ ನಂತರ ಪರಿಶುದ್ಧ ಹೋಗಲು ಅವಕಾಶವನ್ನು ಕಲ್ಪಿಸುವುದು.
 ಕಟ್ಟಡ ರಚನೆಯ ಸಾರ್ವಜನಿಕ ಕಾಮಗಾರಿ ಇಲಾಖೆಯ ರಸ್ತೆಯ ಬದಿಯಲ್ಲಿದ್ದ ರಸ್ತೆ ಮಧ್ಯ ಭಾಗದಿಂದ 25 ಮೀಟರ್ ಅಂತರವಿಟ್ಟು ಕಟ್ಟಡ ರಚಿಸುವುದು. ಗ್ರಾಮಾಂತರ ಜಿಲ್ಲಾ ಪಂಚಾಯತ್ ಯಾ ಇತರ ರಸ್ತೆಯ ಮಧ್ಯಭಾಗದಿಂದ 15 ಮೀಟರ್ ಅಂತರವಿಟ್ಟು ಕಟ್ಟಡ ರಚಿಸುವುದು.
 ಕಟ್ಟಡ ರಚನೆ : ಪುನರಚನೆ ಪರವಾನಿಗೆಯ ದಿನಾಂಕ 04/11/2011/ದಿಂದ 04/11/2012/ವರೆಗೆ ಮಾತ್ರ ನೀಡಲಾಗಿದ್ದು ಸದರಿ ವಾಯದಿಯೊಳಗೆ ಕೆಲಸ ಪೂರ್ತಿಯಾಗದಿದ್ದಲ್ಲಿ ಪರವಾನಿಗೆಯನ್ನು ನವೀಕರಿಸಲಾಗುವುದು.
 ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾಯ್ದೆ 1993ರ ಪ್ರಕರಣ 64ರ ಅನ್ವಯ ಇರುವ ನಿಯಮದನ್ವಯ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಪರವಾನಿಗೆಯು ರದ್ದು ಮಾಡಲು ಕ್ರಮಕೈಗೊಳ್ಳಲಾಗುವುದು.
 ಕಟ್ಟೋಣದ ನೆಲಗಟ್ಟಿನ (ಪಂಚಾಂಗದ) ಎತ್ತರವು ಭೂಮಿಯ ಮಟ್ಟಕ್ಕಿಂತ ಕನಿಷ್ಠ ಎರಡು ಅಡಿಯಷ್ಟು ಇರತಕ್ಕದ್ದು.
 ವಾಸ್ತವ್ಯ ಮತ್ತು ಊಟ / ಉಪಹಾರ ಗೃಹಕ್ಕಾಗಿ ಕಟ್ಟುವ ಕಟ್ಟೋಣಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ನೀರು ಮತ್ತು ಶೌಚಾಲಯ ಇರತಕ್ಕದ್ದು.
 ಶೌಚಾಲಯ ಹೊಂದವನ್ನು ಜಲಾಶಯದಿಂದ ಕನಿಷ್ಠ 30 ಅಡಿಗಿಂತಲೂ ಹೆಚ್ಚು ದೂರದಲ್ಲಿ ಕಟ್ಟತಕ್ಕದ್ದು.
 ಸಾರ್ವಜನಿಕ ರಸ್ತೆ ಬದಿಗಳಲ್ಲಿ ಕಟ್ಟಡ ರಚನೆ ಸಾಮಗ್ರಿಗಳನ್ನು ದಾಸ್ತಾನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.
 ಭೂ ಪರಿಶೋಧನೆ ಮಾಡಿಸಿ ಕಟ್ಟಡ ಕಟ್ಟತಕ್ಕದ್ದು.
 ಶೌಚಾಲಯ ಕಡ್ಡಾಯವಾಗಿ ರಚಿಸುವುದು.
 ಮಳೆನೀರನ್ನು ವ್ಯವಸ್ಥೆ ಅಳವಡಿಸುವುದು.

(Signature)
PRINCIPAL
MTC's Institute of Engrg. & Technology
Mijar, MOODBIDRI - 574 225, D.K

TRANSLATED
COPY

TRANSLATED
COPY

Engineering
M1(c)

BUILDING CONSTRUCTION / RECONSTRUCTION LICENSE

(KARNATAKA GRAMA PANCHAYATH ACT 1993, under Section 64)

Seal,
TENKAMIJAR GRAMA PANCHAYATH,
DAKSHINA KANNADA DISTRICT, MANGALORE TALUK

APPLICATION No. 55/2011-12

LICENSE No. 54/2011-2012

RECIPT No: 436481

DATE: 04/11/2011

AMOUNT: 173,220/=

SMT/SHRI: ALVA'S ENGINEERING COLLEGE, MIJARU TENKAMIJAR GRAMA: TENKAMIJAR
S. NO: HOUSE NO: - FOR BUILDING CONSTRUCTION: RECONSTRUCTION
LICENSE APPLICATION SUBMITTED TO GRAMA PANCHAYATH, BUILDING CONSTRUCTION:
RECONSTRUCTION PERMISSION GRANTED.

BUILDING CONSTRUCTION / RECONSTRUCTION DETAILS

(ENGINEERING COLLEGE

(Sq mt - 17,322)

CONSTRUCTION BUILDING LENGTH	WIDTH	HEIGHT	FOUNDATION DETAILS	OTHER DETAILS	SIGN
AS PER APPROVED MAP (PLANS, DRAWINGS)			_____	THE OBLIGATIONS/CONDITION MENTIONED BELOW SHALL BE FOLLOWED	

SIGNED/ SEAL

PRESIDENT/DEVELOPMENT OFFICER/SECRETARY
TENKAMIJAR GRAMA PANCHAYATH, TENKAMIJAR

CONDITIONS/OBLIGATIONS

BUILDING CONSTRUCTIONS: RECONSTRUCTION WORK SHALL BE DONE AS PER THE APPROVED PLAN/ DRAWINGS.
MINIMUM 1:10th AREA OF EVERY ROOM AS PER THE PLAN SHALL BE ALLOCATED FOR WINDOWS.
AN EMPTY SPACE OF MINIMUM 4 FT SHALL BE KEPT IN EVERY CORNER OF THE BUILDING.
CONSTRUCTED BUILDING SHALL HAVE A SUITABLE DRAINAGE SYSTEM FOR EASE FLOW OF DRAINAGE WATER.
BUILDING CONSTRUCTION SHALL TAKE PLACE FROM 25 M FROM THE CENTRAL LINE OF THE PUBLIC ROAD OF THE PUBLIC WORKS DEPARTMENT. OR 15 M FROM THE CENTRAL LINE OF THE OTHER ROAD OF RURAL ZILLA PANCHAYATH.
BUILDING CONSTRUCTION / RECONSTRUCTION LICENSE VALID DATE: FROM 04/11/2011 UPTO 04/11/2012 ONLY, WITHIN THIS LICENSE PERIOD IF CONSTRUCTION WORK IS NOT COMPLETED, LICENSE TO BE RENEWED.
UNDER THE GRAMA PANCHAYATH ACT 1993, SECTION 64, ANY VIOLATION OF CONDITIONS/ OBLIGATIONS LEADS TO INITIATION OF LICENSE CANCELLATION.
THE FOUNDATION OF PROPOSED BUILDING SHALL HAVE A HEIGHT OF MINIMUM OF 2 FT FROM DATUM LINE.
BOARDING & LODGING/ RESTAURANT PURPOSE BUILDINGS SHALL HAVE WATER AND TOILET FACILITIES.
THE TOILET PIT SHALL BE CONSTRUCTED MINIMUM OF 30 FT AWAY FROM WATER BODIES/ RESERVOIRS.
THE CONSTRUCTION MATERIALS SHALL NOT BE STORED BESIDE THE PUBLIC ROAD.
BUILDING CONSTRUCTION SHALL BE FOLLOWED AFTER DC (AGRICULTURAL TO NON-AGRICULTURAL LAND) CONVERSION.
TOILETS SHALL BE MANDATORILY CONSTRUCTED.
RAIN HARVESTING SYSTEM TO BE INSTALLED.


PRINCIPAL

Alva's Institute of Engg. & Technology

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಆಯೋಗದ ತೆಂಕಮಿಜಾರು

ನೀಕೇರೆ, ಮಂಗಳೂರು ಜಿಲ್ಲಾ, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಎಂ.ಪಿ.

ಅಭಿವೃದ್ಧಿ/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ರಿ.ನಿ.

Ref:

Date:

T.MG.P.L.H -140/2010-11

DATE :12-12-2010



OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 227/2P, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.55/2008-09 dtd 27.01.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :12/12/2010

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

TENKAMIJAR GRAMA PANCHAYATH

PRINCIPAL

Alva's Institute of Engg. & Technology,
Mijar, MOODBIDRI - 574 225, D.K

ದ.ಕ ಜಿಲ್ಲಾ ಕಾರ್ಕಳ ತಾಲೂಕು

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ಕಟ್ಟಡಗಳ ರಚನೆ ಹಾಗೂ ಪುನಃ ರಚನೆಯ ಪರವಾನಿಗೆ ಬಗ್ಗೆ ಪರವಾನಿಗೆ

ಪರವಾನಿಗೆ ಅ. ನಂ. 55/2008-09.

ಸಂಬಂಧ

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ತಾರೀಖು 27-1-2009

ಶ್ರೀ ಡಾ|| ಎಂ. ಮೋದನ ಅಭ್ಯಾಸಿ ಅಭ್ಯಾಸಿ ಎಜಿ.ಎಚ್.ಎಸ್. ಶ್ರೀ ಮೊದನ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಪರವಾನಿಗೆ ಕೊಟ್ಟ ಬಗ್ಗೆ ನಿಮ್ಮ ಅರ್ಜಿ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ವಾರ್ಡ್ ನಂ. ಮನೆ ನಂ. ನೇ ಜಾಗದಲ್ಲಿ

ಕಟ್ಟಡ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಕರ್ನಾಟಕ ಜಿಲ್ಲಾ ಪರಿಷತ್ತು, ಪಂಚಾಯತ ಸಮಿತಿ, ಮಂಡಲ ಪಂಚಾಯತಿಗಳು ಹಾಗೂ ನ್ಯಾಯ ಪಂಚಾಯತುಗಳ ಕಾಯಿದೆ ೧೯೮೩ರ ಪ್ರಕಾರ ಕಟ್ಟಡಗಳ ರಚನೆ ನಿಯಂತ್ರಿಸುವ ನಿಯಮಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಇದರಲ್ಲಿ ಕಾಣಿಸಿದ ರಚನೆಯ ವಿವರದ ಮೇರೆಗೆ ಹಾಗೂ ಇದರ ಹಿಂಭಾಗದಲ್ಲಿ ಕಾಣಿಸಿದ ಕರಾರುಗಳಿಗೆ ಅಳಪಟ್ಟು ಈ ಪರವಾನಿಗೆಯನ್ನು ಕೊಡಲಾಗಿದೆ. ಶರ್ತುಗಳನ್ನು ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಲೈಸೆನ್ಸ್ ರದ್ದು ಪಡಿಸಲಾಗುವುದು. ಹಾಗೂ ಲೈಸೆನ್ಸ್ ಫೀಸಿನ ಇಮ್ಮಡಿಯನ್ನು ಮತ್ತು ತಗಲಿದ ಖರ್ಚನ್ನು ವಸೂಲು ಮಾಡಲಾಗುವುದು.

ತಾ. 27-1-2009 ಸೇದ್ವರ ಉತ್ತರವಾಗಿ

ಈ ಪರವಾನಿಗೆ ಸಂಗಡ ನೀವು ಹಾಜರ ಮಾಡಿದ ಪ್ಲಾನ್ ಹಾಗೂ ಇತರ ದಾಖಲೆಯನ್ನು ಪರಿಶೀಲಿಸಿ ತಿಳಿಯುವುದು.

ಮಂಡೂರಾದ ಕಟ್ಟಡಗಳ ರಚನೆಯ ವಿವರ

ತೆಂಕಮಿಜಾರು ಸಂ.ನಂ. 227/2008 ಎನ್.ಎಂ.ಎಸ್.

ಉದ್ದ	ಅಗಲ	ಎತ್ತರ	ಕೆಳವಾಯ	ಅವತಸ್ತು	ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯಿಂದ ಅಂತರ	ಅರೋಗ್ಯ ದೃಷ್ಟಿಯಿಂದ ಬದಕಕ್ಕೆ ಬೆಲೆ ಜಾಗೆಯ ಅಳತೆಯ ವಿವರ
						ಇನ್ನೂನಿಗನಿಬ್ಬಾರಿಬಾಗಿ ರಸ್ತೆ ಮೂಲಕ 198 ತೆಳೆದ್ದು.

ಗ್ರಂಥಾಲಯ ಕಟ್ಟಡ. ಅಭ್ಯಾಸಿ ತಾಂತ್ರಿಕ ಪರಿಹಾರಾಲಯ.

Library Building of Alwar Institute of Engineering and Technology.

Handwritten signature

ತಾಂತ್ರಿಕ ಪರಿಹಾರಾಲಯ

Handwritten signature

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 55/2008-09
TENKAMIJAR GRAMA PANCHAYATH

Number _____
DATE: 27/01/2009

To, Dr. M. Mohan Alva, Chairman, ALVA'S EDUCATION TRUST, MOOBBIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **20/12/2008**

Details of the Sanctioned Building Constructions
TENKAMIJAR Survey No. 227/2P area

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

LIBRARY BUILDING OF ALVA'S INSTITUTE OF ENGINEERING AND TECHNOLOGY

**SIGNED BY, SECRETARY
GRAMA PANCHAYATH
(SECRETARY -SEAL)**


PRINCIPAL

Alva's Institute of Engg. & Technology
Dist. MOOBBIDRE - 574 225, D.K

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕಾರ್ಯಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ಎಲ್ಲ ಕಟ್ಟಡಗಳನ್ನು
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿರುವ ಮತ್ತು ಅಡಿ ಅಂಚಿನ ಬದಲು ಬಾಗಿಲನ್ನು
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಆಗಲಿ ಕನಿಷ್ಠಾವಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಬಳಪಟ್ಟು ಕಟ್ಟಡದ ಒಂಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಒಂಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಿನ ನಡುವೆ ಬಾಲಿ ಬಾಗಿಲನ್ನು.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲೂ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂಚುಳ್ಳ ಬಾಲಿ ಬಾಗಿಲನ್ನು ಇರುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು. ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಇರತಕ್ಕದ್ದು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡಕ್ಕೆ
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದ ಮುಖವಾಗಿರುವ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯೂ
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ನೆಲದ ಮಟ್ಟದಲ್ಲಿದ್ದು ಒಟ್ಟು ಹತ್ತನೆಯ ಒಂದು ಭಾಗಕ್ಕೆ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿನಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣದಷ್ಟು ಕ್ಷೇತ್ರವುಳ್ಳ ಕಿಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯೂ
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಡೆಗಳನ್ನು ಅದರ ಬಾಗಿಲಿನ ವಿನಹ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ, ಬೆಳಕು ಬೀಳುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು. ಸದರೇ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ವ್ಯರ್ಥ ಹೋಲಿಸು ನೀರು ರಸ್ತೆಯ ಮೇಲೆ ಹರಿದು ಬರದಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚಿಸಲು / ಪುನಃ ಕಟ್ಟಿ ಪರಿವಾಸಿಗೊಳಿಸುವ ವರ್ಷ ತಾರೀಖು 27-1-2009 ರಿಂದ ತಾರೀಖು 26-1-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚಿಸುವ/ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯುವುದರಲ್ಲಿ ಪರಿವಾಸಿಗೊಳಿಸುವುದಕ್ಕೆ ಮುನ್ನ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಡಕ್ಕೆ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾಸಿಗೊಳಿಸುವುದು ಮತ್ತು ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು. ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಕ್ಕೆ ದಾಖಲಪತ್ರವಾಗುವುದು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರದಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ನದಿಯ ತಟಭಾಗದಿಂದ ಕಟ್ಟಡ ಪೂರ್ಣಾಂಗ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾಮೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಪಡೆದಿರತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾಸಿಗೊಳಿಸುವುದು ರದ್ದು ಇರುತ್ತದೆ. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಂದುವರಿಸುವ ಕ್ರಮ ಜರಗಿಸಲಾಗುತ್ತದೆ.

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರಹಿತ ನಂಬಿ 816159 ರಂತೆ ಪಾವತಿಸಿ 27-1-2009 ರಂದು ಪಾವತಿಸಿದ್ದಾರೆ.
 12048/2

(Signature)
 ಕಾರ್ಯದರ್ಶಿ
 ಮುಖಪಂಚಾಯತು

Muthu
 ಅಧ್ಯಕ್ಷರು

ಶುಭಾಚಾರು ಗುಣ ಪಂಚಾಯತು

(Signature)
 PRINCIPAL

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from **27-1-2009** to **26-1-2010**. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number **816159** dated **27-1-2009**
13048/-

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.



PRINCIPAL
Shri's Institute of Engg. & Technology
Karkala, D.K. Dist. MOODBIDRI - 574 202, D.K.

TRANSLATED
COPY

TRANSLATED
COPY

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ಕೆಂಕಮಿಜಾರು

ನೀಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಎಸ,

ಧ್ಯಕ್ಷರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ಕೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ಠೆ.

Ref:

Date:

T.MG.P.L.H -133/2011-12

DATE :10-01-2012

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/3, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.13/2009-10 dtd 10.07.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :10/01/2012

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ಗ್ರಾಮ ಪಂಚಾಯತ್
TENKAMIJAR GRAMA PANCHAYATH
ಕೆಂಕಮಿಜಾರು

PRINCIPAL

Alva's Institute of Engg. & Technology
Mijur. MOODBIDRI - 574 225, D.K

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ತೆಂಕಮಿಜಾರು

ನೀಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಇವು,
ಭೃತ್ಯರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ರಗೆ.

ಇತಿ:

Date:

T.MG.P.L.H -134/2011-12

DATE :10-01-2012

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/1, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.13/2009-10 dtd 10.07.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :10/01/2012

PLACE : TENKAMIJAR


PRINCIPAL

Moodbidri's Institute of Engg. & Technology,
Mijar. MOOBBIDRI - 574 225, D.K.


PANCHAYATH DEVELOPMENT OFFICER
ಗ್ರಾಮ ಪಂಚಾಯತ್
TENKAMIJAR GRAMA PANCHAYATH

M3
50

(3)

ದ:ಕ:ಜಿಲ್ಲಾ ಕಾರ್ಕಳ ತಾಲೂಕು

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ಕಟ್ಟಡಗಳ ರಚನೆ ಹಾಗೂ ಪುನ: ರಚನೆಯ ಪರವಾನಿಗೆ ಬಗ್ಗೆ ಪರವಾನಿಗೆ

ಪರವಾನಿಗೆ ಲ. ನಂ. 131/2009-2010.

ನಂಬರು

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ಶ್ರೀ ಡಾ|| ಮೊ|| ರು|| ನ|| ಅ|| ಲ|| ಅ|| ಎ|| ಜ|| ಕೆ|| ರ|| ನೆ|| ಪೆ|| ಂ|| ಕೆ|| ರ|| ನೆ|| ವ್ಯಾ|| ಪ|| ಅ|| ಅ||

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ರಚಿಸಲು ಪುನ: ರಚಿಸಲು ಪರವಾನಿಗೆ ಕೊಟ್ಟು ಬಗ್ಗೆ ನಮ್ಮ ಅರ್ಜಿ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ವಾರ್ಡ್ ನಂ. ಮನೆ ನಂ. ನೇ ಜಾಗದಲ್ಲಿ ಕಟ್ಟಡ ರಚಿಸಲು ಪುನ: ರಚಿಸಲು ಕರ್ನಾಟಕ ಜಿಲ್ಲಾ ಪಂಚಾಯತ ಸಮಿತಿ, ಮಂಡಲ ಪಂಚಾಯತಿಗಳು ಹಾಗೂ ನ್ಯಾಯ ಪಂಚಾಯತುಗಳ ಕಾಯಿದೆ ೧೯೮೨ರ ಪ್ರಕಾರ ಕಟ್ಟಡಗಳ ರಚನೆ ನಿಯಂತ್ರಿಸುವ ನಿಯಮಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಇದರಲ್ಲಿ ಕಾನೂನು ರಚನೆಯ ವಿವರದ ಮೇರೆಗೆ ಹಾಗೂ ಇದರ ಹಿಂಭಾಗದಲ್ಲಿ ಕಾನೂನು ಕರಾರುಗಳಿಗೊಳಪಟ್ಟು ಈ ಪರವಾನಿಗೆಯನ್ನು ಕೊಡಲಾಗಿದೆ. ಶರ್ತುಗಳನ್ನು ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಲೈಸೆನ್ಸ್ ರದ್ದು ಪಡಿಸಲಾಗುವುದು. ಹಾಗೂ ಲೈಸೆನ್ಸ್ ಫೀಸಿನ ಇಮ್ಮಡಿಯನ್ನು ಮತ್ತು ತಗಲಿದ ಖರ್ಚನ್ನು ವಸೂಲು ಮಾಡಲಾಗುವುದು.

ತಾ. ದಿನಿ-6-2009 ನೇದ್ದರ ಉತ್ತರವಾಗಿ

ಈ ಪರವಾನಿಗೆ ಸಂಗಡ ನೀವು ಹಾಜರ ಮಾಡಿದ ಪ್ಲಾನ್ ಹಾಗೂ ಇತರ ದಾಖಲೆಯನ್ನು ಪರಿಶೀಲಿಸಿ ತಿಳಿಯುವುದು.

ಸಂ.ನಂ. 193/3 ಮಂಡೂರಾಡು ಕಟ್ಟಡಗಳ ರಚನೆಯ ವಿವರ
ವಿಸ್ತೀರ್ಣ 1.69 ಎಕರೆ ಸ್ಥಳ - ತೆಂಕಮಿಜಾರು

ಉದ್ದ	ಅಗಲ	ಎತ್ತರ	ತಳಪಾಯ	ಅಂತಸ್ತು	ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯಿಂದ ಅಂತರ	ಆರೋಗ್ಯ ದೃಷ್ಟಿಯಿಂದ ದೂರತೆ, ಬೆಳು ಜಾಗೆಯ ಅಳತೆಯ ವಿವರ
						ಶಾಂತಿ ನಿಗದಿತ ಪ್ರಾಂಶುಯೋಗಿ ರಸ್ತೆ ಮೂಲಕಿನ ಅಂತರತೆ

ಅಧ್ಯಕ್ಷರ ಸಹಿ
ಅಧ್ಯಕ್ಷಿ ಎಂ.ಡಿ. ಚಿಕ್ಕಲಾಡಿ
ಶುಭಂಗಳ ವಸತಿ

PRINCIPAL

Mija's Institute of Engg. & Technology
Mijar, MOORBIDRI - 574 225, K.R

Handwritten signature

ಗ್ರಾಮಪಂಚಾಯತು

TRANSLATED COPY

TRANSLATED COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

M₃
50

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 13/2009-10
TENKAMIJAR GRAMA PANCHAYATH

DATE: 10/07/2009

To, DR. MOHAN ALVA, ALVA'S EDUCATION FOUNDATION, MOODBIDRE (R)

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated 23/06/2009

Details of the Sanctioned Building Constructions
S. No. 193/3 area 1-69 acre Place: Tenkamijar

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

ALVAS INSTITUTE OF ENGINEERING AND TECHNOLOGY
BOY'S HOSTEL

(Signature)
PRINCIPAL
Alva's Institute of Engg. & Technology
Hq. MOODBIDRI - 574 225, D.K.

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED COPY

TRANSLATED COPY

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ಎಲ್ಲ ಕಟ್ಟಡಗಳಿಗೂ
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿಯೂ ಹತ್ತು ಅಡಿ ಅಂಚಿನ ಬಯಲು ಜಾಗವೂ
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಆಗಲಿ ಕನಿಷ್ಠವಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಬಳಸಬಹುದಾದ ಕಟ್ಟಡದ ಒಂಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಒಂಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಡದ ನಡುವೆ ಜಾಲಿ ಜಾಗವೂ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲೂ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂಚುಳ್ಳ ಜಾಲಿ ಜಾಗವೂ ಇರುವಂತೆ ವಿರ್ಪಡಿಸತಕ್ಕದ್ದು. ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಬಳಸತಕ್ಕದ್ದು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡವು
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದ ಮುಖಾಂತಿಯಾದ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯೂ
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ನೆಲದ ಮಟ್ಟದಿಂದ ಒಟ್ಟು ಹತ್ತನೆಯ ಮುಖಾಂತಿಯ ಭಾಗಕ್ಕೆ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿನಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣವನ್ನು ಕ್ಷೇತ್ರವುಳ್ಳ ಕಿಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯೂ
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಕ್ಷೆಗಳನ್ನು ಅದರ ಜಾಗಿನ ವಿನಹ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಬೆಳಕು ನೀಡುವಂತೆ ವಿರ್ಪಡಿಸತಕ್ಕದ್ದು. ಸದರಿ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ವಗೈರಾ) ಹೊಲಸು ನೀರು ರಕ್ಷಣಾ ಮೂಲಕ ಪರಿಶುದ್ಧವಾದ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚಿಸಲು / ಪುನಃ ಕಟ್ಟಿ ಪರಿವಾಣಿಗೆ ಬಂದ ವರ್ಷ ತಾರೀಖು 10-7-2009 ರಿಂದ ತಾರೀಖು 10-7-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚಿಸುವ / ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯುವುದಿಲ್ಲದಿದ್ದಲ್ಲಿ ಪರಿವಾಣಿಗೆಯ ಮುದ್ದುತ್ತು ವರ್ಧಾಯಿಸಿಕೊಳ್ಳದೆ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಿಸಿಕೊಳ್ಳುವ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾಣಿಗೆಯನ್ನು ಸಮ್ಯಕ್ ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು. ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದದಕ್ಕೆ ದಾಖಲಪತ್ರವಾಗುತ್ತದೆ.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರುವಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ನೆರೆಯ ತಳಭಾಗದಿಂದ ಕಟ್ಟಡ ಪೂರ್ಣಾಂಗ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರವಲ್ಲದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾನೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಅಧಿಕಾರ ಹೆಚ್ಚಿರತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾಣಿಗೆಯನ್ನು ರದ್ದುಗೊಳ್ಳುತ್ತದೆ. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಂದಿನ ಕ್ರಮ ಜಾರಿಗೊಳ್ಳುತ್ತದೆ.

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರೀತಿ ಸಂಖ್ಯೆ 1142806 ರೀತಿ 10-7-2009 ರಂದು ಪಾವತಿಸಿದ್ದಾರೆ.

19460 200

(Signature)
 ಮುಖ್ಯಸ್ಥರು
 ಮುಖ್ಯಸ್ಥರು

Multha
 ಶಂಕಮಿಜಾರು

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from **10-7-2009** to **10-7-2010**. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number **1142806** dated **10-7-2009**
19460=00

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH


PRINCIPAL
Govt's Institute of Engg. & Technology,
Mysr. MOODIBIDRI - 574 225, D.K

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ಕೆಂಕಮಿಜಾರು

ನೀರ್ಕೆರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ಠೆ.

ಇವು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ಕೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ref:

Date:

T.MG.P.L.H -132/2011-12

DATE :10-01-2012

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/1, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.12/2009-10 dtd 10.07.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :10/01/2012

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

TENKAMIJAR GRAMA PANCHAYATH

PRINCIPAL


Shree's Institute of Engg. & Technology
Mijar, MOODRIDRI - 574 225, D.K

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ಕೆಂಕಮಿಜಾರ

ನೀಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in



ರಿಗೆ.

Date:

T.MG.P.L.H -135/2011-12

DATE :10-01-2012

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/1, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.12/2009-10 dtd 10.07.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :10/01/2012

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ

TENKAMIJAR GRAMA PANCHAYATH

PRINCIPAL
Alva's Institute of Engg. & Technology
Mijur. MOODIBIDRI - 574 225, D.K

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

ಕಟ್ಟಡಗಳ ರಚನೆ ಹಾಗೂ ಪುನಃ ರಚನೆಯ ಪರವಾನಿಗೆ ಬಗ್ಗೆ ಪರವಾನಿಗೆ

ಪರವಾನಿಗೆ ಲ. ನಂ. 12/2009-2010

ನಂಬಕು 10-7-2009

ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು
 ಶ್ರೀಮತಿ. ವೆಂಕಟೇಶ್ವರಿ ಅಮ್ಮ, ತೆಂಕಮಿಜಾರು, ತಾ. ಕಾರ್ಕಳ, ಜಿಲ್ಲಾ ಕಾರ್ಕಳ, ದ.ಕ ಜಿಲ್ಲೆ, ಕರ್ನಾಟಕ ರಾಜ್ಯ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಪರವಾನಿಗೆ ಕೊಟ್ಟು ಬಗ್ಗೆ ನಿಮ್ಮ ಅರ್ಜಿ

ನೀವು ಪಂಚಾಯತ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ವಾರ್ಡ್ ನಂ. ಮನೆ ನಂ. ನೇ ಜಾಗದಲ್ಲಿ ಕಟ್ಟಡ ರಚಿಸಲು ಪುನಃ ರಚಿಸಲು ಕರ್ನಾಟಕ ಜಿಲ್ಲಾ ಪರಿಷತ್ತು, ಪಂಚಾಯತ ಸಮಿತಿ, ಮಂಡಲ ಪಂಚಾಯತಿಗಳು ಹಾಗೂ ನ್ಯಾಯ ಪಂಚಾಯತುಗಳ ಕಾಯಿದೆ ೧೯೮೨ರ ಪ್ರಕಾರ ಕಟ್ಟಡಗಳ ರಚನೆ ನಿಯಂತ್ರಿಸುವ ನಿಯಮಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಇದರಲ್ಲಿ ಕಾನೂನು ರಚನೆಯ ವಿವರದ ಮೇರೆಗೆ ಹಾಗೂ ಇದರ ಹಿಂಭಾಗದಲ್ಲಿ ಕಾನೂನು ಕಡೆಗಳಿಗೊಳಪಟ್ಟು ಈ ಪರವಾನಿಗೆಯನ್ನು ಕೊಡಲಾಗಿದೆ. ಶರ್ತಗಳನ್ನು ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಲೈಸೆನ್ಸ್ ರದ್ದು ಪಡಿಸಲಾಗುವುದು. ಹಾಗೂ ಲೈಸೆನ್ಸ್ ಫೀಸಿನ ಇಮ್ಮಡಿಯನ್ನು ಮತ್ತು ತಗಲಿದ ಖರ್ಚನ್ನು ವಸೂಲು ಮಾಡಲಾಗುವುದು.

ತಾ. 23-6-2009 ನೇದ್ದರ ಉತ್ತರವಾಗಿ

ಈ ಪರವಾನಿಗೆ ಸಂಗಡ ನೀವು ಹಾಜರ ಮಾಡಿದ ಪ್ಲಾನ್ ಹಾಗೂ ಇತರ ದಾಖಲೆಯನ್ನು ಪರಿಶೀಲಿಸಿ ತಿಳಿಯುವುದು.

ಮಂಜೂರಾದ ಕಟ್ಟಡಗಳ ರಚನೆಯ ವಿವರ
 ಸ.ನಂ. 193/1 ದಿನಾಂಕ 1-2-2009 ಸ್ಥಳ: ತೆಂಕಮಿಜಾರು

ಉದ್ದ	ಲಗಲ	ಎತ್ತರ	ತಳವಾಯಿ	ಅಂತಸ್ತು	ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯಿಂದ ಅಂತರ	ಆರೋಗ್ಯ ದೃಷ್ಟಿಯಿಂದ ಬದತಕ್ಕ ಬೆಲೆ ಜಾಗೆಯ ಅಳತೆಯ ವಿವರ
						ಇನ್ನೂರಿನಿಗನು ಪ್ರೀತಿಪಾತಿ ರಸ್ತೆ ಮೂಲಕಿನಿ ಖತ ತಕ್ಕ ಸ್ಥಳ

ಅಲ್ಲಾಸಿ ಎಂ.ಎಸ್. ಲೈಸೆನ್ಸ್
 ಎಂ.ಎಸ್. ಲೈಸೆನ್ಸ್
 ಲೈಸೆನ್ಸ್

ಕಾರ್ಯದರ್ಶಿ
 ಕಾರ್ಯದರ್ಶಿ
 ಕಾರ್ಯದರ್ಶಿ


 PRINCIPAL
 Alva's Institute of Engg. & Technology,
 Nijar, MOODSIBIRI - 574 225, D.K

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED
COPY

M₃
50

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 12/2009-10
TENKAMIJAR GRAMA PANCHAYATH

DATE: 10/07/2009

To, DR. MOHAN ALVA, CHAIRMAN, ALVA'S EDUCATION FOUNDATION (R), MOODBIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **23/06/2009**

Details of the Sanctioned Building Constructions
S. No. 193/1 area 1-27 acre Place: Tenkamijar

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

ALVAS INSTITUTE OF ENGINEERING AND TECHNOLOGY
LADIES'S HOSTEL


PRINCIPAL

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕರಾರುಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ಎಲ್ಲೆ ಕಟ್ಟಡದಲ್ಲಿಯೂ
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿಯೂ ಹತ್ತು ಅಡಿ ಅಂಚಿನ ಬಯಲು ಜಾಗೆಯೂ
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಆಗಲಿ ಕನಿಷ್ಠಾವಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಬಳಪಟ್ಟು ಕಟ್ಟಡದ ಹಿಂಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಹಿಂಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಡ ನಡುವೆ ಬಾಲಿ ಜಾಗವೂ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲೂ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂಚುಳ್ಳ ಬಾಲಿ ಜಾಗವೂ ಇರುವಂತೆ ವಿರ್ಪಡಿಸತಕ್ಕದ್ದು ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಇರತಕ್ಕದ್ದು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡವು
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದ ಕುಳಿಬಿಡುವುದು ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯೂ
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ಕೆಲವು ಭಾಗದಲ್ಲಿ ಒಟ್ಟು ಹತ್ತನೆಯ ಒಂದು ಭಾಗಕ್ಕೆ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪರಿಚಾಯಿಸಿರುವ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣದಷ್ಟು ಕ್ಷೇತ್ರವುಳ್ಳ ಕಿಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯೂ
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಟ್ಟಡವು ಅದರ ಜಾಗಿನ ವಿಸ್ತಾರ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಬೆಳಕು ಬೀಳುವಂತೆ ವಿರ್ಪಡಿಸತಕ್ಕದ್ದು. ಸದರೀ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ವ್ಯರ್ಥ ಹೋಲಿಸು ನೀರು ರಸ್ತೆಯ ಮೇಲೆ ಪರಿಧು ಬರದಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚಿಸಲು / ಪುನಃ ಕೊಟ್ಟಿ ಪರಿವಾನಿಗೆ ಒಂದು ವರ್ಷ ತಾರೀಖು 10-7-2009 ರಿಂದ ತಾರೀಖು 10-7-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚಿಸುವ / ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯುವುದಿಲ್ಲವೆ ಪರಿವಾನಿಗೆಯ ಮುದ್ದತ್ತು ವರ್ಧಾಯಿಸಿಕೊಳ್ಳದೆ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಿಸುತಕ್ಕ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ನಮ್ಮ ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಕ್ಕೆ ದಾಖಲಪತ್ರವಾಗುವುದು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರದಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ನದಿಯ ತಳಭಾಗದಿಂದ ಕಟ್ಟಡದ ಮೇಲಿಂಗ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾವೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಪಡೆದಿರತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾನಿಗೆಯನ್ನು ರದ್ದುಗೊಳಿಸುವುದು ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಂದಿನ ಕ್ರಮ ಜರುಗಿಸಲಾಗುತ್ತದೆ.

1142205 10-7-2009

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರಶೀದಿ ಸಂಖ್ಯೆ ರವರು ಪಾವತಿಸಿದ್ದಾರೆ.

12000=00

(Signature)
 ಮುಖ್ಯಸ್ಥರು

(Signature)
 ಅಧ್ಯಕ್ಷರು
 ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತು

PRINCIPAL
 Alva's Institute of Engg. & Technology,
 Mijur. MOODBIDRI - 574 225, D.K

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from 10-7-2009 to 10-7-2010. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number 1142805 dated 10-7-2009
12000=00

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH



PRINCIPAL
Mijaar's Institute of Engg. & Technology
Mijaar. MOODBIDRI - 574 226, KA

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ಕೆಂಕಮಿಜಾರು

ನಿರಕೇರೆ, ಮಂಗಳೂರು ಜಿಲ್ಲೆ, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in



ಅಧ್ಯಕ್ಷರು/ಪಂಚಾಯತ್ ಅಧ್ಯಕ್ಷರು ಅಧಿಕಾರಿ
ಕೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

೦೯.

Date:

DATE :12/12/2010

T.MG.P.L.H -142/2010-11

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/4, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.56/2008-09 dtd 27.01.2009 The building is fit for which it has been constructed and is ready for occupation.

DATE :12/12/2010

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

TENKAMIJAR GRAMA PANCHAYATH


PRINCIPAL
Mun's Institute of Engg. & Technology
Mijar, MOODSIDRI - 574 225, D.K.

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಆಯೋಗದ ತೆಂಕಮಿಜಾರು

ನೀರ್ಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in



0ಗೆ,

ಶಿಬಿರದ ಅಧಿಕಾರಿ

af:

Date:

T.MG.P.L.H -141/2011-12

DATE :03/05/2011

OCCUPANCY CERTIFICATE

It is certified that the building in sy.no. 193/4, Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.11/2009-10 dtd 10.07.2009. The building is fit for which it has been constructed and is ready for occupation.

DATE :03/05/2011

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

ಗ್ರಾಮ ಪಂಚಾಯತ್

TENKAMIJAR GRAMA PANCHAYATH

PRINCIPAL

Alva's Institute of Engg. & Technology,
Mijar, MOODBIDRI - 574 225, D.K

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 11/2009-10
TENKAMIJAR GRAMA PANCHAYATH

DATE: 10/07/2009

To, Dr. MOHAN ALVA, CHAIRMAN, ALVA'S EDUCATION FOUNDATION, MOODBIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **23/06/2009**

Details of the Sanctioned Building Constructions
S. No. 193/4 area 1-40 acre Place: Tenkamijar

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

ALVAS INSTITUTE OF ENGINEERING AND TECHNOLOGY
MECHANICAL BLOCK


PRINCIPAL

Alva's Institute of Engg. & Technology
Mijar, MOODBIDRI - 574 225. K.K

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕಡಾರುಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ಎಲ್ಲೆ ಕಟ್ಟಡವಿಲ್ಲವೂ
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿಯೂ ಹತ್ತು ಅಡಿ ಅಂಚಿನ ಬಯಲು ಜಾಗವೂ
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಆಗಲಿ ಕನಿಷ್ಠಾವಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಬಳಪಟ್ಟು ಕಟ್ಟಡದ ಹಿಂಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಹಿಂಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಿನ ನಡುವೆ ಜಾಲಿ ಜಾಗವೂ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲೂ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂಚುಳ್ಳ ಜಾಲಿ ಜಾಗವೂ ಇರುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು. ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಬರತಕ್ಕದ್ದು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡವು
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದ ಮುಂಗುಣಿಯಾದ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯೂ
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ಕೆಲವು ಮೀಟರ್‌ಗಳಲ್ಲಿ ಬಟ್ಟು ಹತ್ತನೆಯ ಒಂದು ಭಾಗಕ್ಕೆ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿನಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣದಷ್ಟು ಕ್ಷೇತ್ರವುಳ್ಳ ತಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಚಳಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯೂ
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಕ್ಷೆಸನ್ನು ಅದರ ಜಾಗಿನ ವಿನಹ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಚಳಿಕು ಬೀಳುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು. ಸದರೀ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ವ್ಯಕ್ತರ ಹೊಲಸು ನೀರು ರಸ್ತೆಯ ಮೇಲೆ ಹರಿದು ಬರದಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚಿಸಲು / ಪುನಃ ಕೊಟ್ಟ ಪರವಾನಿಗೆ ಬಂದು ವರ್ಷ ತುಂಬಿ 10-7-2009 ರಿಂದ ತಾರೀಖು 10-7-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚಿಸುವ / ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯುವಿದ್ದಲ್ಲಿ ಪರವಾನಿಗೆಯ ಮುದ್ದತ್ತು ಪಡೆಯಿಸಿಕೊಳ್ಳುವ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಿಸಿಕೊಳ್ಳುವ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರವಾನಿಗೆಯನ್ನು ನಮ್ಮ ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು. ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದರೆ ದಾವಿಲಪತ್ರವಾಗುವುದು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರದಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ವಲಯ ತಳವಾಗದಿಂದ ಕಟ್ಟಡ ಪೂರ್ಣ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾವೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಸಡಿಲಿರತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರವಾನಿಗೆಯು ರದ್ದು ಗುತ್ತದೆ. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಂದಿನ ಕ್ರಮ ಜರಗಿಸಲಾಗುತ್ತದೆ.

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರಹಿತವಾಗಿ 114280/- ರೂ. 13450/- ರೂ. ಪಾವತಿಸಿದ್ದಾರೆ.
 10-7-2009

Muth
 ಪ್ರಾಚಾರ್ಯರು
 ಪ್ರಿನ್ಸಿಪಾಲ್
 Muth Institute of Engg. & Technology
 Bidar MOBBIDRI - 574 225, D.K

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from 10-7-2009 to 10-7-2010. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number 1142804 dated 13450=00
10-7-2009



PRINCIPAL

Dr. Shashi Kumar K, Dept. of Physics
Mogdeidri - 574 225, D.K

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED
COPY

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED
COPY

GRANT OF LICENSE FOR CONSTRUCTION / RECONSTRUCTION OF ANY STRUCTURE

LICENSE No: 56/2008-09
TENKAMIJAR GRAMA PANCHAYATH

DATE: 27/1/2009

To, Dr. M. MOHAN ALVA, ALVA'S EDUCATION TRUST, MOODBIDRE

With reference to your Application regarding **Grant of license for reconstruction** under purview of the GRAMA PANCHAYATH, in the WARD _____ and HOUSE NO. _____ vacant site for the construction and reconstruction of the buildings as per the ZILLA PARISHATH, PANCHAYATH COMMITTEE, MANDAL PANCHAYATH and LEGAL AUTHORITY Section 1983 act the license has been sanctioned. If the conditions are violated the Licence shall be deemed to get cancelled, and the twice the licence fees and the administrative cost incurred shall be recovered.

Replying to the application dated **20/12/2008**

Details of the Sanctioned Building Constructions
S. No. 193/4 area

LENGTH	WIDTH	HEIGHT	DEPTH	LEVEL	DISTANCE FROM PUBLIC ROADS	DETAILS OF DIMENSION OF FIELD TO BE TAKEN OF FOR HEALTH AND SANITIZATION PURPOSE
AS PER APPROVED MAP (PLANS, DRAWINGS)					ROAD MARGINS ARE TO BE PROVIDED IN ACCORDANCE WITH LAW	

**WORKSHOP BUILDING OF
ALVAS INSTITUTE OF ENGINEERING AND TECHNOLOGY**



PRINCIPAL

Alva's Institute of Engg. & Technol
Maj. MOODBIDRE - 574 225, D.

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಕರಾರುಗಳು

- 1 ಕಟ್ಟಡವು ನಿರ್ಮಾಣವಾಗಿರುವ ಪ್ರತಿಯೊಂದು ನಿವೇಶನದ ಎಲ್ಲ ಕಟ್ಟಡಗಳಿಗೂ
 - ಅ) ಸಾರ್ವಜನಿಕ ರಸ್ತೆಯ ಅಭಿಮುಖವಾಗಿರುವ ಹತ್ತು ಅಡಿ ಅಂಚಿನ ನಿಯಮ ಬಾಕಿಯಾಗಿರುತ್ತದೆ.
 - ಬ) ಯಾವ ಕೇಂದ್ರದಿಂದಲೇ ಅಗಲಿ ಕನಿಷ್ಠಾಪಧಿ ಐದು ಅಡಿಗಳಿರುವುದಕ್ಕೆ ಒಳಪಟ್ಟು ಕಟ್ಟಡದ ಹಿಂಭಾಗದ ಗೋಡೆಯಿಂದ ಹತ್ತು ಅಡಿಗಳಷ್ಟು ಅಳತೆಯಾಗುವಂತೆ ಮೂಲ ಕಟ್ಟಡದ ಮತ್ತು ಹಿಂಭಾಗದ ಎಲ್ಲಾ ಕಟ್ಟಡದ ನಡುವೆ ಖಾಲಿ ಜಾಗವೂ.
 - ಕ) ಕಟ್ಟಡದ ಉಳಿದ ಭಾಗಗಳಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಭಾಗಗಳಲ್ಲೂ ಕನಿಷ್ಠ ಐದು ಅಡಿ ಅಂಚುಳ್ಳ ಖಾಲಿ ಜಾಗವೂ ಇರುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು ಮತ್ತು ಅವುಗಳನ್ನು ರಕ್ಷಿಸಿಕೊಂಡು ಬರತಕ್ಕದ್ದು.
- 2 ಜನರ ವಾಸಕ್ಕಾಗಿ ಉದ್ದೇಶಿಸಲಾಗಿರುವ ಪ್ರತಿಯೊಂದು ಕಟ್ಟಡಕ್ಕೆ
 - ಅ) ನೆಲದ ಮಟ್ಟದಿಂದ ಎರಡು ಅಡಿಗಳಿಗಿಂತ ಕಡಿಮೆ ಇಲ್ಲದ, ಕನಿಷ್ಠ ಐದು ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರವನ್ನು ಹೊಂದುವಂತೆಯಾಗಿರುತ್ತದೆ.
 - ಬ) ಅಂಥ ಕಟ್ಟಡದ ಪ್ರತಿಯೊಂದು ಕೊಠಡಿಯೂ ಕೊಠಡಿಯ ನೆಲದ ಮಟ್ಟದಿಂದ ಮೇಲ್ಭಾಗದಲ್ಲಿ ಒಟ್ಟು ಹತ್ತನೈವು ಅಂತಸ್ತು ಭಾಗಕ್ಕೆ ಸಮನಾದ ಅಥವಾ ಮಂಡಲ ಪಂಚಾಯತಿಯಿಂದ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ ಪ್ರಮಾಣದಷ್ಟು ಕ್ಷೇತ್ರವುಳ್ಳ ಕಿಡಿಗಳಿಂದಲೂ ಅಥವಾ ಬಾಗಿಲುಗಳಿಂದಲೂ ಕೂಡಿ ಗಾಳಿ ಬೆಳಕಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆಯಾಗಿರುತ್ತದೆ.
 - ಕ) ಅಂಥ ಕಟ್ಟಡಕ್ಕೆ ಲಗತ್ತು ಮಾಡಲ್ಪಟ್ಟಿರುವ ಕಡೆಗಳನ್ನು ಅದರ ಜಾಗಿನ ವಿಸ್ತಾರ ಪ್ರತಿಯೊಂದು ಭಾಗದಲ್ಲಿಯೂ ಮೂರು ಅಡಿಗಳಿಗೂ ಕಡಿಮೆ ಇಲ್ಲದಷ್ಟು ಅಗಲವುಳ್ಳ ಭಾಗದಿಂದ ಗಾಳಿ ಬೆಳಕು ಬೀಳುವಂತೆ ಏರ್ಪಡಿಸತಕ್ಕದ್ದು. ಸದರಿ ಬಾಗಿಲ ಅಗಲವು ಎರಡು ಅಡಿಗಳಿಗೆ ಕಡಿಮೆ ಇರತಕ್ಕದ್ದಲ್ಲ.
- 3 ನಿರುಪಯುಕ್ತವಾದ (ಬಚ್ಚಲು ನೀರು ವ್ಯರ್ಥವಾಗಿ ಹೋಗುವ ನೀರು ರಸ್ತೆಯ ಮೇಲೆ ಹರಿದು ಬರದಂತೆ ನೀರು ಹೋಗುವುದಕ್ಕೆ ಗಟಾರ ಇಲ್ಲವೆ ಇಂಗು ಬಚ್ಚಲನ್ನು ಕಟ್ಟಿಸತಕ್ಕದ್ದು.
- 4 ಇಮಾರತಿ ರಚನೆ / ಪುನಃ ಕೊಟ್ಟ ಪರಿವಾಣಿಗೆ ಬಂದು ವರ್ಷ ತಾರೀಖು 27-1-2009 ರಿಂದ ತಾರೀಖು 26-1-2010 ವರೆಗೆ ಮಾತ್ರ ಇರುತ್ತದೆ. ಈ ಅವಧಿ ಮುಗಿಯುವುದರೊಳಗಾಗಿ ಇಮಾರತಿ ರಚನೆ / ಪುನಃ ರಚಿಸುವ ಕೆಲಸ ಮುಗಿಯದಿದ್ದಲ್ಲಿ ಪರಿವಾಣಿಯ ಮುದ್ದತ್ತು ವರ್ಧಾಯಿಸಿಕೊಳ್ಳದೆ ಕೆಲಸ ಮುಂದುವರಿಸತಕ್ಕದ್ದಲ್ಲ.
- 5 ಕಟ್ಟಡಕ್ಕೆ ಕಟ್ಟಡದ ಸ್ಥಳವು ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಈ ಪರಿವಾಣಿಯನ್ನು ನಮ್ಮ ಕಾರ್ಯಕ್ಕೆ ಅಧಿಕೃತವೆಂದು ತಿಳಿಯಲಾಗುವುದು ಮತ್ತು ಆ ರೀತಿ ಅತಿಕ್ರಮಣವಾಗುತ್ತಿದ್ದರೆ ದಾವಿಲಪತ್ರವಾಗುವುದು.
- 6 ಸಾರ್ವಜನಿಕ ಆರೋಗ್ಯಕ್ಕೆ ಧಕ್ಕೆ ಬರದಂತೆ ರಚನೆ ಇರತಕ್ಕದ್ದು.
- 7 ಕಟ್ಟಡ ಕಟ್ಟುವ ಸ್ಥಳವು ನೆರೆ ನೀರು ಬರುವ ಸ್ಥಳವಾದಲ್ಲಿ ನದಿಯ ತಳಭಾಗದಿಂದ ಕಟ್ಟಡ ಪೂರ್ಣ 25 ಅಡಿಗಳಿಗಿಂತ ಎತ್ತರದಲ್ಲಿದ್ದು ನದಿ ದಡದಿಂದ 30 ಅಡಿ ದೂರ ಇರತಕ್ಕದ್ದು.
- 8 ಮಾಮೂಲು ದಾರಿ, ನೀರು, ತೋಡು ಇತ್ಯಾದಿಗಳಿಗೆ ಯಾವುದೇ ತರದ ತೊಂದರೆ ಆಗಬಾರದು.
- 9 ಕೃಷಿಯೇತರ ಭೂಪರಿವರ್ತನಾ ಆದೇಶ ಪಡೆಯತಕ್ಕದ್ದು.
- 10 ಮೇಲಿನ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘನೆಯಾದಲ್ಲಿ ಈ ಪರಿವಾಣಿಯು ರದ್ದಾಗುತ್ತದೆ. ಹಾಗೂ ಕಾನೂನು ಪ್ರಕಾರ ಮುಂದುವರಿಸುವ ಕ್ರಮ ಜರುಗಿಸಲಾಗುತ್ತದೆ.

ಅರ್ಜಿದಾರರು ಶುಲ್ಕವನ್ನು ರಶೀದಿ ಸಂಖ್ಯೆ 816/60 ಮತ್ತು 12691 ರಿಂದ ಪಾವತಿಸಿದ್ದಾರೆ. 27-1-2009

ಶಾಲಾಧಿಕಾರಿ
 ಶಾಲಾ ಮುಖ್ಯಾಧಿಕಾರಿ

PRINCIPAL
 Jyoti Institute of Engg. & Technology,
 Bijjar, MOODSIDI - 574 225, D.K.

Mulim
 ತೆರಿಗೆ ಸಂಖ್ಯೆ

TRANSLATED
COPY

TRANSLATED
COPY

D. K. district, Karkala Taluk
TENKAMIJAR GRAMA PANCHAYATH

OBLIGATIONS/ CONDIITIONS

1. The Construction site in which proposed construction shall take place must oblige
 - a.) A margin of 10 Feet each adjacent to the Public road.
 - b.) At least a 5 ft behind the construction building, 10 ft from central line of main building and an empty space for all rear end of the building.
 - c.) To maintain and secure the 5 ft empty space from the building in all sites along the periphery is mandatory.
2. For construction of Residential buildings,
 - a.) The Foundation of the building shall have a height greater than 2 ft from ground level.
 - b.) For better illumination and ventilation, each room of the building must have an area of Window or Door in the ratio specified by the Mandal Panchayath or equivalent to 1/10th of the Room area.
 - c.) The latrine of the said building shall have a door of not less than 2 ft width. Apart from the door in all other sides of the latrine shall have space not less than 3 ft for better illumination and ventilation.
3. A suitable drainage facility to connect waste drainage water (Bathroom and Toilet water etc.) into external drainage or to the drainage pit to avoid overflow of the same to the service road.
4. The Grant license for Building Construction/ Reconstruction shall be valid for one year from **27-1-2009** to **26-1-2010**. If the construction is not completed in the specified period, then constructions shall not be continued without further renewal of the same.
5. This license shall authorize only for construction of the building in case of the site is encroached and the license shall be used as proof for land encroachment document.
6. The building shall be constructed without effecting the public health.
7. The construction site of the building near the vicinity of flood effected region or bank of the river shall have its foundation at least 25 ft above the datum line and 30 ft away from the bank of the river.
8. The construction of the building shall not affect or disturb any existing service road creek and water bodies.
9. DC conversion document (for non-agricultural purpose) shall be obtained.
10. In the event of not fulfilling any of the abovementioned Condition/ Obligations license stand cancelled and further legal action shall be initiated.

Applicant has paid the fee as per the receipt number **816160** dated **27-1-2009**
12691

Seal/Signed, President
TENKAMIJAR GRAMA PANCHAYATH

Seal/Signed, Secretary
TENKAMIJAR GRAMA PANCHAYATH



PRINCIPAL
Govt's Institute of Engg. & Techn
Mijar, MOGASARI - 574 225.

TRANSLATED
COPY

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ತೆಂಕಮಿಜಾರು

ನೀರ್ಕೇರೆ, ಮಂಗಳೂರು ತಾಲೂಕು, ದ.ಕ ಜಿಲ್ಲೆ.- 574227

TENKAMIJAR GRAMA PANCHAYATH, NIRKERE

Mangalore Tq. D.K-574227 Ph:08258-262150 email:tenkamijarpan@yahoo.in

ದ,
ಸ್ವಕರು/ಪಂಚಾಯತ್ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ
ತೆಂಕಮಿಜಾರು ಗ್ರಾಮ ಪಂಚಾಯತ್

ರಿಗೆ,

ref:

T.MG.P.L.H -15/2015-16

Date:

DATE :17-08-2015

OCCUPANCY CERTIFICATE

It is hereby certified that the building in sy.no. 15/12 and sy.no. 15/5A, of Tenkamijar Village, has been completed to the best satisfaction and according to the plan sanctioned in license no.76/2013-14 dtd 19.02.2014. The building is fit for which it has been constructed and is ready for occupation.

PLACE : TENKAMIJAR

PANCHAYATH DEVELOPMENT OFFICER

ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ

TENKAMIJAR GRAMA PANCHAYATH

ತೆಂಕಮಿಜಾರು

PRINCIPAL

Govt's Institute of Engg. & Technology,
Mijar, MOODSIDI - 574 225, D.K

Original M6

ಕಟ್ಟಡ ರಚನೆ ಪುನರ್ರಚನೆ ಪರವಾನಿಗೆ

(ಕರ್ನಾಟಕ ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾಯ್ದೆ 1993ರ ಪ್ರಕರಣ 64ರ ಅನ್ವಯ)



2013-2014

ಪರವಾನಿಗೆ ಸಂಖ್ಯೆ : 76/2013-14

ಕೋರಿ ಸಂಖ್ಯೆ : 32/166 ದಿನಾಂಕ : 19/2/2014 ಮೊತ್ತ : 2,14,60.5 = 00
 ತೆರಿಗೆ ಸಂಖ್ಯೆ : 15/5A 0.10-5 ರೂ. 15/12 0.80 ರೂ.

0:90 ಒಟ್ಟರಲ್ಲಿ ಕಟ್ಟಡ ರಚನೆಗೆ / ಪುನರ್ರಚನೆಗೆ ಪರವಾನಿಗೆ ಕೋರಿ ಗ್ರಾಮ ಪಂಚಾಯತಿಗೆ ಆರ್ಜಿ ಸಲ್ಲಿಸಿದ್ದು,

ಕಟ್ಟಡ ರಚನೆ / ಪುನರ್ರಚನೆಗೆ ಅನುಮತಿ ನೀಡಲಾಗಿದೆ.

ಕಟ್ಟಡ ರಚನೆ / ಪುನರ್ರಚನೆಯ ವಿವರ
 ತೆರಿಗೆ ಸಂಖ್ಯೆ : 15/5A 0.10-5 ರೂ. 15/12 0.80 ರೂ. 153.948 SFT ನ. REC. ಅಪ್ಪಣೆ

ಉದ್ದ	ಅಗಲ	ಎತ್ತರ	ಪರಿಚಾಂಗ ವಿವರ	ಇತರ ವಿವರ	ಅಪ್ಪಣೆ
	ಅಧಿಕೃತ	ವೃತ್ತಿಯಲ್ಲಿದ್ದು	—	ಈ ಕಟ್ಟಡ ರಚನೆ ಪುನರ್ರಚನೆಯ ಹಿಂಬದಿಯಲ್ಲಿರುವ ಕೆಲಸಗಳನ್ನು ಕೈಗೊಳ್ಳುವುದು.	(12)

attested

[Signature]
 ಅಧ್ಯಕ್ಷರು
 ಗ್ರಾಮ ಪಂಚಾಯತು
 ತೆರಿಗೆ ವಿಭಾಗ

[Signature]
 ಅಧ್ಯಕ್ಷರು
 ಪಂಚಾಯತು
 ತೆರಿಗೆ ವಿಭಾಗ

[Signature]
 PRINCIPAL
 Govt. Institute of Engg. & Technology
 Bijjar, MOODBIDRI - 574 225, D.K

TRANSLATED
COPY

BOYS HOSTEL

TRANSLATED
COPY

M₆

BUILDING CONSTRUCTION / RECONSTRUCTION LICENSE

(KARNATAKA GRAMA PANCHAYATH ACT 1993, under Section 64)

Seal,
TENKAMIJAR GRAMA PANCHAYATH,
DAKSHINA KANNADA DISTRICT, MANGALORE TALUK

APPLICATION No. 50/2013-14

LICENSE No. 76/2013-2014

RECIPT No: 331766

DATE: 19/02/2014

AMOUNT: 2,14,605=00

SMT/SHRI: MOHAN ALVA (ALVA'S INSTITUTE OF ENGINEERING EDUCATION FOUNDATION, MIJARU)

TENKAMIJAR GRAMA PANCHAYATH: TENKAMIJAR VILLAGE S. NO: 15/5A 0.10 Cents
15/12 0.80 Cents

HOUSE NO: 0.9 Cents FOR BUILDING CONSTRUCTION: ~~RECONSTRUCTION~~-LICENSE APPLICATION
SUBMITTED TO GRAMA PANCHAYATH, BUILDING CONSTRUCTION: ~~RECONSTRUCTION~~ PERMISSION
GRANTED.

BUILDING CONSTRUCTION / RECONSTRUCTION DETAILS

TENKAMIJAR VILLAGE S. No. 15/5A 0.10 Cents AREA OF 1,53,948 S FT RCC BUILDING
15/12 0.80 Cents

CONSTRUCTION BUILDING LENGTH	WIDTH	HEIGHT	FOUNDATION DETAILS	OTHER DETAILS	SIGN
AS PER APPROVED MAP (PLANS, DRAWINGS)			_____	THE OBLIGATIONS/CONDITION MENTIONED BELOW SHALL BE FOLLOWED	12

SIGNED/ SEAL
DEVELOPMENT OFFICER
TENKAMIJAR GRAMA PANCHAYATH,
TENKAMIJAR

Attested,
SIGNED/ SEAL
DEVELOPMENT OFFICER
TENKAMIJAR GRAMA PANCHAYATH,
TENKAMIJAR

PRINCIPAL

Alva's Institute of Engg. & Technology
C/pt. MCC081081 - 574 225, D.K

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY

TRANSLATED
COPY

ಶಿಕ್ಷಣ ಗಳು

1. ಕಟ್ಟಡ ರಚನೆ / ಪುನರಚನೆಯ ಕಾಮಗಾರಿಯನ್ನು ಮಂಜೂರಾದ ನಕ್ಷೆಯಂತೆ ನಿರ್ಮಿಸುವುದು.
 2. ಪ್ರತಿ ಕೋಣೆಯ ನಕ್ಷೆಯ ಕನಿಷ್ಠ 1:10ನೇ ಭಾಗದಲ್ಲಿ ಕಿಟಕಿಗೆ ಸ್ಥಳಾವಕಾಶ ಒದಗಿಸುವುದು.
 3. ಕಟ್ಟಡ ರಚನೆಯ ಪ್ರತಿಯೊಂದು ಮೂಲೆಗಳಲ್ಲಿ ಕನಿಷ್ಠ 4 ಅಡಿ ಅಂತರದ ಖಾಲಿ ಸ್ಥಳ ಇಡತಕ್ಕದ್ದು.
 4. ಕಟ್ಟಡ ರಚನೆಯಾದ ಸೂಕ್ತ ಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಉಪಯೋಗಿಸಿದ ನೀರು ಹರಿದು ಹೋಗಲು ಅವಕಾಶವನ್ನು ಕಲ್ಪಿಸುವುದು.
 5. ರಾಷ್ಟ್ರೀಯ ಹೆದ್ದಾರಿಯಿಂದ ಹಾಗೂ ರಾಜ್ಯ ಹೆದ್ದಾರಿಯಿಂದ 45 ಮೀ ಹಾಗೂ ಜಿಲ್ಲಾ ಪಂಚಾಯತ್ ಮುಖ್ಯ ರಸ್ತೆಯಿಂದ 25ಮೀಟರ್ ಮತ್ತು ಪಂಚಾಯತ್ ರಸ್ತೆ ಯಿಂದ 15 ಮೀಟರ್ ನ ಒಳಗೆ ಯಾವುದೇ ಕಟ್ಟಡ ಕಟ್ಟಬಾರದು.
 6. ಕಟ್ಟಡ ರಚನೆ : ಪುನರಚನೆ ಪರವಾನಿಗೆಯ ದಿನಾಂಕ 19/02/2014...ದಿಂದ 18/02/2015...ರವರೆಗೆ ಮಾತ್ರ ನೀಡಲಾಗಿದ್ದು ಸದ್ರಿ ವಾಯಿದೆಯೊಳಗೆ ಕೆಲಸ ಪೂರ್ತಿಯಾಗದಿದ್ದಲ್ಲಿ ಪರವಾನಿಗೆಯನ್ನು ನವೀಕರಿಸಲಾಗುವುದು.
 7. ಗ್ರಾಮ ಪಂಚಾಯತ್ ಕಾಯ್ದೆ 1993ರ ಪ್ರಕರಣ 64ರನ್ವಯ ಇರುವ ನಿಯಮದನ್ವಯ ಯಾವುದೇ ಶರ್ತ ಉಲ್ಲಂಘಿಸಿದಲ್ಲಿ ಪರವಾನಿಗೆಯು ರದ್ದು ಮಾಡಲು ಕ್ರಮಕೈಗೊಳ್ಳಲಾಗುವುದು.
 8. ಕಟ್ಟೋಣದ ನೆಲಗಟ್ಟಿನ (ಪಂಚಾಂಗದ) ಎತ್ತರವು ಭೂಮಿಯ ಮಟ್ಟಕ್ಕಿಂತ ಕನಿಷ್ಠ ಎರಡು ಅಡಿಯಷ್ಟು ಇರತಕ್ಕದ್ದು.
 9. ವಾಸ್ತವ್ಯ ಮತ್ತು ಊಟ / ಉಪಾಹಾರ ಗೃಹಕ್ಕಾಗಿ ಕಟ್ಟುವ ಕಟ್ಟೋಣಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ನೀರು ಮತ್ತು ಶೌಚಾಲಯ ಇರತಕ್ಕದ್ದು.
 10. ಶೌಚಾಲಯ ಹೊಂಡವನ್ನು ಜಲಾಶಯದಿಂದ ಕನಿಷ್ಠ 30 ಅಡಿಗಿಂತಲೂ ಹೆಚ್ಚು ದೂರದಲ್ಲಿ ಕಟ್ಟತಕ್ಕದ್ದು.
 11. ಸಾರ್ವಜನಿಕ ರಸ್ತೆ ಬದಿಗಳಲ್ಲಿ ಕಟ್ಟಡ ರಚನೆ ಸಾಮಗ್ರಿಗಳನ್ನು ದಾಸ್ತಾನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.
 12. ಭೂ ಪರಿಶೋಧನೆ ಮಾಡಿಸಿ ಕಟ್ಟಡ ಕಟ್ಟತಕ್ಕದ್ದು.
 13. ಶೌಚಾಲಯ ಕಡ್ಡಾಯವಾಗಿ ರಚಿಸುವುದು.
 14. ಮಳೆಕೊಯ್ಲು ವ್ಯವಸ್ಥೆ ಅಳವಡಿಸುವುದು.
- (ಕರಾವಳಿ ನಿಯಂತ್ರಣ ವಲಯಕ್ಕೆ ಒಳಪಟ್ಟಿದ್ದಲ್ಲಿ ಸಂಬಂಧ ಪಟ್ಟ ಅಧಿಕಾರಿಯಿಂದ ನಿರೀಕ್ಷಿಸಿದಂತೆ ಪಡೆದು ಮನೆ ಕಟ್ಟುವುದು)

- attested -


 ಅಧಿಕಾರಿ
 ಗ್ರಾಮ ಪಂಚಾಯತ್

21/1/15 to 3.
 21/1/15 to 4.
 192
 204/7

 PRINCIPAL
 Jiva's Institute of Engg. & Technology,
 Bijjar, MOCUBIDRI - 574 225, D.K

TRANSLATED
COPY

BOYS HOSTEL

TRANSLATED
COPY

CONDITIONS/OBLIGATIONS

1. BUILDING CONSTRUCTIONS: RECONSTRUCTION WORK SHALL BE DONE AS PER THE APPROVED PLAN/ DRAWINGS.
2. MINIMUM 1:10th AREA OF EVERY ROOM AS PER THE PLAN SHALL BE ALLOCATED FOR WINDOWS.
3. AN EMPTY SPACE OF MINIMUM 4 FT SHALL BE KEPT IN EVERY CORNER OF THE BUILDING.
4. CONTRUCTED BUILDING SHALL HAVE A SUITABLE DRAINAGE SYSTEM FOR EASE FLOW OF DRAINAGE WATER.
5. BUILDING CONSTRUCTION SHALL TAKE PLACE FROM 25 M FROM THE CENTRAL LINE OF THE PUBLIC ROAD OF THE PUBLIC WORKS DEPARTMENT. OR 15 M FROM THE CENTRAL LINE OF THE OTHER ROAD OF RURAL ZILLA PANCHAYATH.
6. BUILDING CONSTRUCTION / RECONSTRUCTION LICENSE VALID DATE: FROM 19/02/2014 UPTO 18/02/2015 ONLY, WITHIN THIS LICENSE PERIOD IF CONSTRUCTION WORK IS NOT COMPLETED, LIVENSE TO BE RENEWED.
7. UNDER THE GRAMA PANCHAYATH ACT 1993, SECTION 64, ANY VIOLATION OF CONDITIONS/ OBLIGATIONS LEADS TO INITIAITON OF LICENSE CANCELLATION.
8. THE FOUNDATION OF PROPOSED BUILDING SHALL HAVE A HEIGHT OF MINIMUM OF 2 FT FROM DATUM LINE.
9. BOARDING & LODGING/ RESTAURANT PURPOSE BUILDINGS SHALL HAVE WATER AND TOILET FACILITIES.
10. THE TOILET PIT SHALL BE CONSTRUCTED MINIMUM OF 30 FT AWAY FROM WATER BODIES/ RESERVOIRS.
11. THE CONSTRUCTION MATERIALS SHALL NOT BE STORED BESIDE THE PUBLIC ROAD.
12. BUILDING CONSTRUCTION SHALL BE FOLLOWED AFTER DC (AGRICULTURAL TO NON-AGRICULTURAL LAND) CONVERSION.
13. TOILETS SHALL BE MANDATORILY CONSTRUCTED.
14. RAIN HARVESTING SYSTEM TO BE INSTALLED.
16. NO OBJECTION CERTIFICATED TO BE OBTAINED FROM COASTAL RESTRICTED ZONE (CRZ) TO CONTRSUCT BUILDING, IF APPLICABLE.

Attested,
SIGNED/ SEAL
DEVELOPMENT OFFICER
TENKAMIJAR GRAMA PANCHAYATH,
TENKAMIJAR

219/1 to 3
219/5 to 7

192

307/7



PRINCIPAL

Govt's Institute of Engg. & Technology
Majur. MOCCHIDRI - 574 225, D.K

TRANSLATED
COPY

TRANSLATED BY: Dr. Shashi Kumar K, Dept. of Physics
Prof. Yogish S. Rao M., Dept. of Mechanical Engg.

TRANSLATED
COPY