MICROCONTROLLER AND EMBEDDED SYSTEMS LABORATORY (Effective from the academic year 2018 -2019) SEMESTER - IV Course Code 18CSL48 **CIE Marks** Number of Contact Hours/Week 40 0:2:2 **Total Number of Lab Contact Hours** SEE Marks 60 36 **Exam Hours** 03 Credits - 2 Course Learning Objectives: This course (18CSL48) will enable students to: Develop and test Program using ARM7TDMI/LPC2148

Conduct the experiments on an ARM7TDMI/LPC2148 evaluation board using evaluation version of Embedded ' \dot{C} ' & Keil Uvision-4 tool/compiler.

Descriptions (if any):

Programs List:

PART A Conduct the following experiments by writing program using ARM7TDMI/LPC2148 using an evaluation board/simulator and the required software tool.

- Write a program to multiply two 16 bit binary numbers.
- Write a program to find the sum of first 10 integer numbers. 2.
- 3. Write a program to find factorial of a number.
- Write a program to add an array of 16 bit numbers and store the 32 bit result in internal RAM 4.
- Write a program to find the square of a number (1 to 10) using look-up table. 5.
- Write a program to find the largest/smallest number in an array of 32 numbers. 6.
- Write a program to arrange a series of 32 bit numbers in ascending/descending order.
- Write a program to count the number of ones and zeros in two consecutive memory locations. 8.

PART -B Conduct the following experiments on an ARM7TDMI/LPC2148 evaluation board using evaluation version of Embedded 'C' & Keil Uvision-4 tool/compiler.

- Display "Hello World" message using Internal UART.
- 10. Interface and Control a DC Motor.
- 11. Interface a Stepper motor and rotate it in clockwise and anti-clockwise direction.
- 12. Determine Digital output for a given Analog input using Internal ADC of ARM controller.
- 13. Interface a DAC and generate Triangular and Square waveforms.
- 14. Interface a 4x4 keyboard and display the key code on an LCD.
- 15. Demonstrate the use of an external interrupt to toggle an LED On/Off.
- 16. Display the Hex digits 0 to F on a 7-segment LED interface, with an appropriate delay in between

Laboratory Outcomes: The student should be able to:

- Develop and test program using ARM7TDMI/LPC2148
- Conduct the following experiments on an ARM7TDMI/LPC2148 evaluation board using evaluation version of Embedded 'C' & Keil Uvision-4 tool/compiler.

Conduct of Practical Examination:

- Experiment distribution
 - o For laboratories having only one part: Students are allowed to pick one experiment from the lot with equal opportunity.
 - For laboratories having PART A and PART B: Students are allowed to pick one experiment from PART A and one experiment from PART B, with equal opportunity.
- Change of experiment is allowed only once and marks allotted for procedure to be made zero of the changed part only.
- Marks Distribution (Courseed to change in accoradance with university regulations)
 - g) For laboratories having only one part Procedure + Execution + Viva-Voce: 15+70+15 =

100 Marks

- h) For laboratories having PART A and PART B
 - i. Part A Procedure + Execution + Viva = 6 + 28 + 6 = 40 Marks
 ii. Part B Procedure + Execution + Viva = 9 + 42 + 9 = 60 Marks

Dept. Of Informatics Science & Engineering
Alva's Institute Community
Mijar, MOODEIDRI - 674 225