VISVESVARAYA TECHNOLOGICAL UNIVERSITY,BELAGAVI-





A MICRO PROJECT REPORT ON "Rain Sensing Automatic Car Wiper"

Submitted By,

Vandan M Shetty 4AL20IS058

Mohamed Adnan Akram 4AL20CS074

Bhavana M 4AL20EC007

Mohammed Sufiyan 4AL20IS027

Under the Guidance of

Dr. Nandini P Department of Chemistry



DEPARTMENT OF BASIC SCIENCES ALVA'S INSTITUTE OF ENGINEERING AND TECHNOLOGY MOODBIDRI-574225, KARNATAKA

2020-2021

ALVA'S INSTITUTE OF ENGINEERING AND TECHNOLOGY MIJAR, MOODBIDRI D.K. -574225 KARNATAKA



DEPARTMENT OF BASIC SCIENCES

CERTIFICATE

This is to certify that the Micro-Project entitled "Rain Sensing Automatic Car Wiper" has been Successfully Completed by

Vandan M Shetty 4AL20IS058

Mohamed Adnan Akram 4AL20CS074

Bhavana M 4AL20EC007

Mohammed Sufiyan 4AL20IS027

The bonafide students of Department of Basic Sciences, Alva's Institute of Engineering and Technology, affiliated to VISVESVARAYA TECHNOLOGICAL UNIVERSITY, BELAGAVI, during the academic year 2020–2021. It is certified that all corrections/suggestions indicated for Internal Assessment have been incorporated in the report. The report has been approved as it satisfies the academic requirements in respect of Micro-Project work prescribed for Bachelor of Engineering.

Dr. Nandini P

Mini Project Guide

Dr. Ramaprasad A.T, HOD Physics

Dept. Of Physics Alva's Institute of Engg. & Techno Mijar, MOODBIDRI - 574 22:

H.O.D.

ABSTRACT

The wipers on today's cars are manual devices that switch on and off manually. As a result, we recommend a rain-sensing automatic wiper system that activates when rain is detected and shuts off when the rain stops. The goal of our concept is to automate the wiper mechanism and eliminate the necessity for manual intervention. A rain sensor, a microprocessor, and a driver IC are used to run the wiper motor. A rain sensor in our system detects rain, which is subsequently processed by a microcontroller, which then takes the required action. When rain falls on the rain sensor, it completes its circuit with water and transmits a signal to the microcontroller. This data is now processed by the microcontroller, which then directs the motor IC to perform the desired action. To replicate a car wiper, the motor driver IC now drives a servomotor.